for research use only Certificate of Analysis

| Product Name | Recombinant Human Glutamate receptor 3 (GRIA3), partial | | | | |
|------------------------|--|-------|--|--|--|
| Catalog Number | AAA18426 | | | | |
| Expression host | Yeast | | | | |
| Tag Info | N-terminal 6xHis-tagged | | | | |
| Buffer | Lyophilized from a 0.2 µm sterile filtered 20 mM Tris-HCl, 0.5 M NaCl, 6%Trehalose, pH 8.0. The volume before lyophilization is 1623µl/vial. | | | | |
| Reconstitution | We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL.We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final concentration of glycerol is 50%. Customers could use it as reference. | | | | |
| Batch Number | DD06058a6g0 | | | | |
| Nature | Human GRIA3-(AA 151-250)- P42263 -Partial Protein | | | | |
| Purification | Affinity purified using IMAC | | | | |
| Recommended Storage | Short term 2 to 8 °C, one week after reconstitution | | | | |
| | Long term -20 to -80 °C, twelve months from the date of receipt | | | | |
| Form | Lyophilized powder | | | | |
| Date of detection | 2024.07.26 | | | | |
| Test Items | Specifications | | | Results | |
| Purity | ≥90%,by SDS-PAGE quandensitometry by Coomass Staining. | | kDa M 116.0 66.2 45.0 35.0 | 94% | |
| Molecular Weight | Predicted band size: 13.98 | 3 kDa | 25.0 18.4 14.4 | Observed band size: 15 kDa The reducing (R) protein migrates a s 15 kDa in SDS- PAGE may be due to glycosylation. | |

| for recearch use only | | | | |
|-----------------------|--|------|--|--|
| Electrophoretic | (Tris-Glycine gel) Discontinuou SDS-PAGE (reduced) with 5% enrichment gel and 15% separation | | | |
| parameters | gel. | | | |
| | Lyophilized protein has been sterile filtered prior to lyophilization. | | | |
| | However, the lyophilization process could potentially compromise sterility and please follow the | | | |
| Aseptic | instruction below if customers need a sterile filtered protein. | | | |
| Processing | Please sterile filter reconstituted lyophilized proteins with a 0.22µm filter in a clean bench (or other | | | |
| | sterile environment) after reconstitution. | | | |
| | Customers could use it as reference. | | | |
| Endotoxin Level | <1.0 EU per 1µg of the protein by the LAL method. | pass | | |
| Activity | Not tested | | | |
| Conclusion | pass | | | |

for research use only Datasheet

| Recombinant Human Glutamate receptor 3 (GRIA3), partial | | |
|---|--|--|
| AAA18426 | | |
| Yeast | | |
| N-terminal 6xHis-tagged | | |
| Lyophilized from a 0.2 µm sterile filtered 20 mM Tris-HCl, 0.5 M NaCl, 6%Trehalose, pH 8.0. | | |
| The volume before lyophilization is 1623µl/vial. | | |
| Store at -20°C, for extended storage, conserve at -20°C or -80°C. | | |
| Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for up to one | | |
| week. | | |
| Receptor for glutamate that functions as ligand-gated ion channel in the central nervous system | | |
| and plays an important role in excitatory synaptic transmission. L-glutamate acts as an excitatory | | |
| neurotransmitter at many synapses in the central nervous system. Binding of the excitatory | | |
| neurotransmitter L-glutamate induces a conformation change, leading to the opening of the cation | | |
| channel, and thereby converts the chemical signal to an electrical impulse. The receptor then | | |
| desensitizes rapidly and enters a transient inactive state, characterized by the presence of bound | | |
| agonist. In the presence of CACNG4 or CACNG7 or CACNG8, shows resensitization which is characterized by a delayed accumulation of current flux upon continued application of glutamate. | | |
| characterized by a delayed accumulation of current flux upon continued application of glutamate. | | |
| SLLGHYKWEKFVYLYDTERGFSILQAIMEAAVQNNWQVTARSVGNIKDVQEFRRIIEEMDRRQEKRYLIDCEV | | |
| ERINTILEQVVILGKHSRGYHYMLANL | | |
| | | |