for research use only Certificate of Analysis

Product Name	Recombinant Escherichia coli O157:H7 Peptide deformylase (def)				
Catalog Number	AAA18692				
Expression host	E.coli				
Tag Info	N-terminal 6xHis-SUMO-tagged				
Buffer	Lyophilized from a 0.2 µm sterile filtered 20 mM Tris-HCl, 0.5 M NaCl, 6% Trehalose, pH8.0. The volume before lyophilization is 110µl/vial , 2vials.				
Reconstitution	We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL.We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final concentration of glycerol is 50%. Customers could use it as reference.				
Batch Number	DD05007a4g0				
Nature	Escherichia coli O157:H7 def-(AA 2-169)- P0A6K5- Full Length of Mature Protein				
Purification	Affinity purified using IMAC				
Recommended Storage	Short term 2 to 8 °C, one week after reconstitution			tution	
	Long term -20 to -80 °C, twelve months from the date of receipt				
Form	Lyophilized powder				
Date of detection	2024.03.19				
Test Items	Specifications		Results		
Purity	≥90%,by SDS-PAGE quantitative densitometry by Coomassie Blue Staining.		kDa M 116.0 66.2 45.0 35.0	97%	
Molecular Weight	Predicted band size: 35.2 kDa		25.0 18.4 14.4	Observed band size: 36 kDa	

Floatuombouotia	THE COLOR OF THE SECRET COLOR HAS PERSON OF	20 Jet Val and 15% congration			
Electrophoretic	(Tris-Glycine gel) DiscontinuouSSDS-PAGE (reduced) with 5% enrichment gel and 15% separation				
parameters	gel.				
	Lyophilized protein has been sterile filtered prior to lyophilization.				
	However, the lyophilization process could potentially compromise sterility and please follow the				
Aseptic	instruction below if customers need a sterile filtered protein.				
Processing	Please sterile filter reconstituted lyophilized proteins with a 0.22µm filter in a clean bench (or other				
	sterile environment) after reconstitution.				
	Customers could use it as reference.				
Endotoxin Level	<1.0 EU per 1µg of the protein by the LAL method.	pass			
Activity	Not tested				
Conclusion	pass				

for research use only Datasheet

Product Name	Recombinant Escherichia coli O157:H7 Peptide deformylase (def)		
Catalog Number	AAA18692		
Expression host	E.coli		
Tag Info	N-terminal 6xHis-SUMO-tagged		
Buffer	Lyophilized from a 0.2 µm sterile filtered 20 mM Tris-HCl, 0.5 M NaCl, 6% Trehalose, pH8.0. The volume before lyophilization is 110µl/vial , 2vials.		
Storage	Store at -20°C, for extended storage, conserve at -20°C or -80°C.		
Notes	Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for up to one week.		
Relevance	Removes the formyl group from the N-terminal Met of newly synthesized proteins. Requires at least a dipeptide for an efficient rate of reaction. N-terminal L-methionine is a prerequisite for activity but the enzyme has broad specificity at other positions.		
AA sequence	SVLQVLHIPDERLRKVAKPVEEVNAEIQRIVDDMFETMYAEEGIGLAATQVDIHQRIIVIDVSENRDERLVLINPE LLEKSGETGIEEGCLSIPEQRALVPRAEKVKIRALDRDGKPFELEADGLLAICIQHEMDHLVGKLFMDYLSPLKQQ RIRQKVEKLDRLKARA		